

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 7,386,790 B2  
APPLICATION NO. : 09/950020  
DATED : June 10, 2008  
INVENTOR(S) : Yasuhiro Hino

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

Line 18, "fields." should read --field--; and  
Line 27, "(extensible" should read --(eXtensible--.

COLUMN 2:

Line 20, "thestate" should read --the state--.

COLUMN 3:

Line 22, "desintate" should read --designate--;  
Line 23, "throughoutthereof." should read --throughout--;  
Line 40, "theimage" should read --the image--; and  
Line 48, "of of" should read --of--.

COLUMN 5:

Line 50, "tusby" should read --tus by--; and  
Line 63, "following" should read --the following--.

COLUMN 7:

Line 4, "plural unit" should read --plural units--;  
Line 14, "FIG 2," should read --FIG. 3,--;  
Line 32, "theresference" should read --the reference--; and  
Line 64, "page memory 11005" should read --page memory 1105--.

COLUMN 8:

Line 13, "mannere" should read --manner--;  
Line 30, "details" should read --detail--; and  
Line 46, "designated" should read --designates--.

COLUMN 10:

Line 41, "theprocess" should read --the process--;  
Line 55, "received" should read --received data--; and  
Line 60, "ifnot," should read --if not,--.

**COLUMN 13:**

Line 6, “smanually” should read --manually--;  
Line 18, “size the” should read --size of the--;  
Line 40, “it” should read --if--;  
Line 55, “outputprocess” should read --output process--; and  
Lines 64-67, close up left margin.

**COLUMN 15:**

Line 51, “simplified” should read --simplified--;  
Line 56, “therference” should read --the reference--; and  
Line 59, “outputof” should read --output of--.

**COLUMN 16:**

Line 12, “tothe” should read --to the--; and  
Line 13, “thedata” should read --the data--.

**COLUMN 17:**

Line 30, “designated” should read --designated--.

**COLUMN 18:**

Line 64, “suchas” should read --such as--.

**COLUMN 19:**

Line 34, “thereduction rate” should read --the reduction rate,--; and  
Line 35, “is,” should be deleted.

**COLUMN 21:**

Line 64, “thebase” should read --the base--.

**COLUMN 22:**

Line 6, “(step S108).” should read --(step S3408).--; and  
Line 54, “embodiment,” should read --embodiments,--.

**COLUMN 25:**

Line 39, “the provided” should read --the memory provided--.

**CERTIFICATE OF CORRECTION (continued)**  
**U.S. Pat. No. 7,386,790 B2**

Page 3 of 3

**COLUMN 27:**


Line 30, "outputting" should read --outputted--.

**COLUMN 29:**

Line 30, "least" should read --at least--.

Signed and Sealed this

Twenty-sixth Day of January, 2010



David J. Kappos  
*Director of the United States Patent and Trademark Office*